

Date : 2020/01/07

Page : 1 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

The following samples was/were submitted and identified by/on behalf of the applicant as :

Sample Submitted By	:	TOWERJAZZ SEMICONDUCTOR
Sample Description	:	SILICON WAFERS
Style/Item No.	:	0.13µ 8INCH TOWERJAZZ MH FAB2
Buyer/Order No.	:	4500288549
Sample Receiving Date	:	2019/12/26
Testing Period	:	2019/12/26 to 2020/01/07

Test Requested

 As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

5

Test Result(s)

: Please refer to following pages.

Conclusion : (1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Troy Chang / Manager -√e Signed for and behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/terms-



Date : 2020/01/07

Page : 2 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Result(s)

PART NAME No.1 : SILICON WAFERS

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5 (2013) and performed by ICP-OES.	2	n.d.	100
Lead (Pb)	mg/kg	With reference to IEC 62321-5 (2013) and performed by ICP-OES.	2	n.d.	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4:2013+ AMD1:2017 and performed by ICP-OES.	2	n.d.	1000
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321-7-2 (2017) and performed by UV-VIS.	8	n.d.	1000
Sum of PBBs	mg/kg		-	n.d.	1000
Monobromobiphenyl	mg/kg	1	5	n.d.	-
Dibromobiphenyl	mg/kg		5	n.d.	-
Tribromobiphenyl	mg/kg		5	n.d.	-
Tetrabromobiphenyl	mg/kg		5	n.d.	-
Pentabromobiphenyl	mg/kg		5	n.d.	-
Hexabromobiphenyl	mg/kg		5	n.d.	-
Heptabromobiphenyl	mg/kg	1	5	n.d.	-
Octabromobiphenyl	mg/kg	1	5	n.d.	-
Nonabromobiphenyl	mg/kg	1	5	n.d.	-
Decabromobiphenyl	mg/kg	With reference to IEC 62321-6 (2015) and	5	n.d.	-
Sum of PBDEs	mg/kg	performed by GC/MS.	-	n.d.	1000
Monobromodiphenyl ether	mg/kg	1	5	n.d.	-
Dibromodiphenyl ether	mg/kg	1	5	n.d.	-
Tribromodiphenyl ether	mg/kg	1	5	n.d.	-
Tetrabromodiphenyl ether	mg/kg	1	5	n.d.	-
Pentabromodiphenyl ether	mg/kg	1	5	n.d.	-
Hexabromodiphenyl ether	mg/kg	1	5	n.d.	-
Heptabromodiphenyl ether	mg/kg	1	5	n.d.	-
Octabromodiphenyl ether	mg/kg	1	5	n.d.	-
Nonabromodiphenyl ether	mg/kg	1	5	n.d.	-
Decabromodiphenyl ether	mg/kg	1	5	n.d.	-



Date : 2020/01/07

Page : 3 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Polychlorinated Biphenyls (PCBs) (CAS No.: 1336-36-3)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0.5	n.d.	-
Polychlorinated Terphenyls (PCTs)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0.5	n.d.	-
Polychlorinated Naphthalene (PCNs)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n.d.	-
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	100	n.d.	-
Asbestos					
Chrysotile (CAS No.: 12001-29-5)	%		-	Negative	-
Amosite (CAS No.: 12172-73-5)	%		-	Negative	-
Crocidolite (CAS No.: 12001-28- 4)	%	With reference to EPA 600/R-93/116 (1993). Analysis was performed by Stereo Microscope	-	Negative	-
Anthophyllite (CAS No.: 77536- 67-5)	%	(SM), Dispersion Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD).	-	Negative	-
Tremolite (CAS No.: 77536-68-6)	%		-	Negative	-
Actinolite (CAS No.: 77536-66-4)	%		-	Negative	-
AZO					
1): 4-AMINODIPHENYL (CAS No.: 92-67-1)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
2): BENZIDINE (CAS No.: 92-87- 5)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
3): 4-CHLORO-O-TOLUIDINE (CAS No.: 95-69-2)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
4): 2-NAPHTHYLAMINE (CAS No.: 91-59-8)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
5): O-AMINOAZOTOLUENE (CAS No.: 97-56-3)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
6): 2-AMINO-4-NITROTOLUENE (CAS No.: 99-55-8)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-



Date : 2020/01/07

Page : 4 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
7): P-CHLOROANILINE (CAS No.: 106-47-8)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
8): 2,4-DIAMINOANISOLE (CAS No.: 615-05-4)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
9): 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 101-77-9)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
10): 3,3'-DICHLOROBENZIDINE (CAS No.: 91-94-1)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
11): 3,3'- DIMETHOXYBENZIDINE (CAS No.: 119-90-4)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
12): 3,3'-DIMETHYLBENZIDINE (CAS No.: 119-93-7)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
13): 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 838-88-0)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
14): P-CRESIDINE (2- METHOXY-5-METHYLANILINE) (CAS No.: 120-71-8)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
15): 4,4'-METHYLENE-BIS- (2- CHLOROANILINE) (CAS No.: 101-14-4)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
16): 4,4'-OXYDIANILINE (CAS No.: 101-80-4)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
17): 4,4'-THIODIANILINE (CAS No.: 139-65-1)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
18): O-TOLUIDINE (CAS No.: 95- 53-4)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
19): 2,4-TOLUYLENEDIAMINE (CAS No.: 95-80-7)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
20): 2,4,5-TRIMETHYLANILINE (CAS No.: 137-17-7)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
21): O-ANISIDINE (CAS No.: 90- 04-0)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-



Date : 2020/01/07

Page : 5 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
22): 4-AMINOAZOBENZENE (CAS No.: 60-09-3)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
23): 2,4-XYLIDINE (CAS No.: 95- 68-1)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
24): 2,6-XYLIDINE (CAS No.: 87- 62-7)	mg/kg	With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n.d.	-
Arsenic (As)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES.	2	n.d.	-
Diarsenic trioxide (As_2O_3) (CAS No.: 1327-53-3)	mg/kg	Calculated from the result of Arsenic.	2(▲)	n.d.	-
Diarsenic pentaoxide (As ₂ O ₅)	mg/kg	Calculated from the result of Arsenic.	2(▲)	n.d.	-
Formaldehyde (CAS No.: 50-00- 0)	mg/kg	With reference to ISO 17226-1 (2018). Analysis was performed by HPLC/DAD.	3	n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No.: 25637-99-4 and 3194- 55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	With reference to IEC 62321 (2008). Analysis was performed by GC/MS.	5	n.d.	-
Perchlorate (CAS No.: 14797-73- 0)	µg/g	Analysis was performed by IC.	0.1	n.d.	-
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n.d.	-
2-benzotriazol-2-yl-4,6-di-tert- butylphenol (UV-320) (CAS No.: 3846-71-7)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n.d.	-
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-



Date : 2020/01/07

Page : 6 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result	Limit
rest ttern(s)	Unit	Method	WIDL	No.1	LIIIIIL
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48- 0)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49- 1)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
Tributyl Tin (TBT)	mg/kg	With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	0.03	n.d.	-
Diphenyltin	mg/kg	With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	0.03	n.d.	-
Bis(tributyltin)oxide (TBTO) (CAS No.: 56-35-9)	mg/kg	With reference to ISO 17353 (2004). Analysis was performed by GC/FPD. Calculated from the result of Tributyl Tin (TBT).	0.03 (▲)	n.d.	-
Dibutyl Tin (DBT)	mg/kg	With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	0.03	n.d.	-
Dioctyl Tin (DOT)	mg/kg	With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	0.03	n.d.	-
Bromomethane (CAS No.: 74-83- 9)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Dimethyl Fumarate (CAS No.: 624-49-7)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0.1	n.d.	-
Cobalt dichloride (CAS No.: 7646-79-9)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-OES.	50	n.d.	-
Cobalt (Co)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES.	2	15.5	-
Hexavalent Chromium Cr(VI)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by UV-Vis.	50	n.d.	-
Strontium chromate*** (CAS No.: 7789-06-2)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by UV-VIS.***	-	n.d.	-
Potassium hydroxyoctaoxodizincatedi- chromate*** (CAS No.: 11103-86- 9)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by UV-VIS.***	-	n.d.	-



Date : 2020/01/07

Page : 7 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Pentazinc chromate octahydroxide*** (CAS No.: 49663-84-5)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by UV-VIS.***	-	n.d.	-
Lead chromate*** (CAS No.: 7758-97-6) (※5)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by UV-VIS, ICP-OES.	-	n.d.	-
Lead chromate molybdate sulphate red (C.I. Pigment Red 104)*** (CAS No.: 12656-85-8) (※5)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by UV-VIS, ICP-OES.	-	n.d.	-
Lead sulfochromate yellow (C.I. Pigment Yellow 34)*** (CAS No.: 1344-37-2) (※5)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by UV-VIS, ICP-OES.	-	n.d.	-
Lead (Pb)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-OES.	50	n.d.	-
Tris (2-chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n.d.	-
Boron (B) (※2)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-OES.	50	n.d.	-
Boric acid*** (CAS No.: 10043- 35-3; 11113-50-1)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-OES.***	-	n.d.	-
Disodium tetraborate, anhydrous*** (CAS No.: 1303-96- 4, 1330-43-4, 12179-04-3)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-OES.***	-	n.d.	-
Tetraboron disodium heptaoxide, hydrate (CAS No.: 12267-73-1) (* 2)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-OES.	-	n.d.	-
DIHP (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich) (CAS No.: 71888- 89-6)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
DHNUP (1,2- Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters) (CAS No.: 68515-42-4)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
Bis(2-methoxyethyl) ether (CAS No.: 111-96-6)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by GC/MS.	500	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/terms-and-conditions/terms-end-terms-end-condition



Date : 2020/01/07

Page : 8 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
N,N-dimethylacetamide (DMAC) (CAS No.: 127-19-5)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	10	n.d.	-
4-(1,1,3,3-tetramethylbutyl) phenol, (4-tert-Octylphenol) (CAS No.: 140-66-9)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	50	n.d.	-
Beryllium (Be)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES.	2	n.d.	-
Hexabromobenzene	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n.d.	-
Brominated styrene	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n.d.	-
Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	mg/kg	With reference to Global SOP RSTS-E&E-121 (2012). Analysis was performed by LC/MS.	10	n.d.	-
TBBP-A-bis (CAS No.: 21850-44- 2)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n.d.	-
Monomethyl dibromodiphenyl methane (DBBT) (CAS No.: 99688-47-8)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0.5	n.d.	-
Monomethyl dichlorodiphenyl methane (Ugilec121) (CAS No.: 81161-70-8)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0.5	n.d.	-
Monomethyl tetrachlorodiphenyl methane (Ugilec141)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0.5	n.d.	-
Polyvinyl chloride (PVC)	**	Analysis was performed by FTIR and FLAME Test.	-	Negative	-
Halogen					
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-
Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-
Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-



Date : 2020/01/07

Page : 9 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Aluminosilicate, Refractory Ceramic Fibres (oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges)	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by gravimetric method, ICP-OES.	500	n.d.	-
Zirconia Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges】	mg/kg	SGS In-House method-RSTS-EE-SVHC-007. Analyzed by gravimetric method, ICP-OES.	500	n.d.	-
CFC's (Chlorofluorocarbons)					
Group I					
Chlorofluorocarbon-11 (CAS No.: 75-69-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-12 (CAS No.: 75-71-8)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-113 (CAS No.: 76-13-1)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-114 (CAS No.: 76-14-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-115 (CAS No.: 76-15-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Group III					
Chlorofluorocarbon-13 (CAS No.: 75-72-9)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-111 (CAS No.: 354-56-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-112 (CAS No.: 76-12-0)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-211 (CAS No.: 422-78-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-212 (CAS No.: 3182-26-1)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-



Date : 2020/01/07

Page : 10 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Chlorofluorocarbon-213 (CAS No.: 2354-06-5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-214 (CAS No.: 29255-31-0)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-215 (CAS No.: 4259-43-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-216 (CAS No.: 661-97-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-217 (CAS No.: 422-86-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFCs (Hydrochlorofluorocarbons)					
HCFC-21 (CAS No.: 75-43-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-22 (CAS No.: 75-45-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-31 (CAS No.: 593-70-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-121 (CAS No.: 354-14-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-122 (CAS No.: 354-21-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-123 (CAS No.: 306-83-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-124 (CAS No.: 2837-89-0)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-131 (CAS No.: 359-28-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-132b (CAS No.: 1649-08- 7)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-133a (CAS No.: 75-88-7)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-141b (CAS No.: 1717-00- 6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-



Date : 2020/01/07

Page : 11 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
HCFC-142b (CAS No.: 75-68-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-221 (CAS No.: 422-26-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-222 (CAS No.: 422-49-1)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-223 (CAS No.: 422-52-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-224 (CAS No.: 422-54-8)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-225ca (CAS No.: 422-56- 0)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-225cb (CAS No.: 507-55- 1)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-226 (CAS No.: 431-87-8)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-231 (CAS No.: 421-94-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-232 (CAS No.: 460-89-9)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-233 (CAS No.: 7125-84-0)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-234 (CAS No.: 425-94-5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-235 (CAS No.: 460-92-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-241 (CAS No.: 666-27-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-242 (CAS No.: 460-63-9)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-243 (CAS No.: 460-69-5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-244	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-



Date : 2020/01/07

Page : 12 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
HCFC-251 (CAS No.: 421-41-0)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-252 (CAS No.: 819-00-1)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-253 (CAS No.: 460-35-5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-261 (CAS No.: 420-97-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-262 (CAS No.: 421-02-03)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HCFC-271 (CAS No.: 430-55-7)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Halons					
Halon-1211 (CAS No.: 353-59-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Halon-1301 (CAS No.: 75-63-8)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Halon-2402 (CAS No.: 124-73-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFCs (Hydrobromofluorocarbons)					
HBFC-21B2 (CHFBr2) (CAS No.: 1868-53-7)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-22B1 (CHF2Br) (CAS No.: 1511-62-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-31B1 (CH2FBr) (CAS No.: 373-52-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-121B4 (C2HFBr4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-122B3 (C2HF2Br3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-123B2 (C2HF3Br2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-124B1 (C2HF4Br)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-



Date : 2020/01/07

Page : 13 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
HBFC-131B3 (C2H2FBr3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-132B2 (C2H2F2Br2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-133B1 (C2H2F3Br)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-141B2 (C2H3FBr2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-142B1 (C2H3F2Br)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-151B1 (C2H4FBr)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-221B6 (C3HFBr6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-222B5 (C3HF2Br5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-223B4 (C3HF3Br4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-224B3 (C3HF4Br3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-225B2 (C3HF5Br2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-226B1 (C3HF6Br)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-231B5 (C3H2FBr5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-232B4 (C3H2F2Br4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-233B3 (C3H2F3Br3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-234B2 (C3H2F4Br2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HBFC-235B1 (C3H2F5Br)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-



Date : 2020/01/07

Page : 14 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result	Limit
				No.1	
HBFC-241B4 (C3H3FBr4)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
		Analysis was performed by GC/MS.			
HBFC-242B3 (C3H3F2Br3)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
		Analysis was performed by GC/MS.			
HBFC-243B2 (C3H3F3Br2)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
		Analysis was performed by GC/MS.			
HBFC-244B1 (C3H3F4Br)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
		Analysis was performed by GC/MS.			
HBFC-251B3 (C3H4FBr3)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
		Analysis was performed by GC/MS.			
HBFC-252B2 (C3H4F2Br2)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
	5.5	Analysis was performed by GC/MS.			
HBFC-253B1 (C3H4F3Br)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
	mg/ng	Analysis was performed by GC/MS.		mai	
HBFC-261B2 (C3H5FBr2)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
	mg/ng	Analysis was performed by GC/MS.		n.d.	
HBFC-262B1 (C3H5F2Br)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	
	iiig/kg	Analysis was performed by GC/MS.		n.u.	-
HBFC-271B1 (C3H6FBr)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	
	тту/ку	Analysis was performed by GC/MS.		n.u.	-
			_		
HFCs (Hydrofluorocarbon)	"				
HFC-23 (CHF3) (CAS No.: 75-46-	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
7)		Analysis was performed by GC/MS.			
HFC-32 (CH2F2) (CAS No.: 75-	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
10-5)		Analysis was performed by GC/MS.			
HFC-41 (CH3F) (CAS No.: 593-	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
53-3)		Analysis was performed by GC/MS.			
HFC-43-10mee (C5H2F10)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
		Analysis was performed by GC/MS.			
HFC-125 (C2HF5)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
		Analysis was performed by GC/MS.			
HFC-134 (C2H2F4)	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
		Analysis was performed by GC/MS.			
HFC-134a (CH2FCF3) (CAS No.:	mg/kg	With reference to US EPA 5021A (2014).	1	n.d.	-
811-97-2)	55	Analysis was performed by GC/MS.			



Date : 2020/01/07

Page : 15 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
HFC-143 (CH3F3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HFC-143a (CH3F3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HFC-152a (C2H4F2) (CAS No.: 75-37-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HFC-227ea (C3HF7) (CAS No.: 431-89-0)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HFC-236fa (C3H2F6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HFC-236ea (C3H2F6) (CAS No.: 431-63-0)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HFC-245ca (C3H3F5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HFC-245fa (C3H3F5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
HFC-365mfc (C4H5F5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
PFCs (Perfluorocarbon)					
F14 (CAS No.: 75-73-0)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Fluorocarbon 116 (CAS No.: 76- 16-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Freon 218 (CAS No.: 76-19-7)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Decafluorobutane (CAS No.: 355- 25-9)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Freon C318 (CAS No.: 115-25-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Perfluor-1-butene (CAS No.: 357- 26-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
perfluorisobutene (CAS No.: 382- 21-8)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
1,4-dihydrooctafluorobutane (CAS No.: 377-36-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-



Date : 2020/01/07

Page : 16 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Nonafluor-2- (trifluoromethyl) butane (CAS No.: 594-91-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Perfluoro-n-pentane (CAS No.: 678-26-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
2-perfluoromethylpentane (CAS No.: 355-04-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Perfluorohexane (CAS No.: 355- 42-0)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
CHCs (Chlorinate hydrocarbon)					
1,1,1,2-Tetrachloroethane (CAS No.: 630-20-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
1,1,1-Trichloroethane (CAS No.: 71-55-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
1,1,2,2-Tetrachloroethane (CAS No.: 79-34-5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
1,1,2-Trichloroethane (CAS No.: 79-00-5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
1,1-Dichloroethane (CAS No.: 75- 34-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
1,1-Dichloroethene (CAS No.: 75- 35-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
1,1-Dichloropropene (CAS No.: 563-58-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
1,2,3-Trichloropropane (CAS No.: 96-18-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
1,2-Dichloroethane (CAS No.: 107-06-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
1,2-Dichloropropane (CAS No.: 78-87-5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
1,3-Dichloropropane (CAS No.: 142-28-9)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
2,2-Dichloropropane (CAS No.: 594-20-7)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-



Date : 2020/01/07

Page : 17 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Carbon tetrachloride (CAS No.: 56-23-5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chloroethane (CAS No.: 75-00-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chloroform (CAS No.: 67-66-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Chloromethane (CAS No.: 74-87- 3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
cis-1,2-Dichloroethene (CAS No.: 156-59-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
cis-1,3-Dichloropropene (CAS No.: 10061-01-5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Hexachlorobutadiene (CAS No.: 87-68-3)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Dichloromethane, Methylene chloride (CAS No.: 75-09-2)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Tetrachloroethene (CAS No.: 127-18-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
trans-1,2-Dichloroethene (CAS No.: 156-60-5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
trans-1,3-Dichloropropene (CAS No.: 10061-02-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Trichloroethylene (CAS No.: 79- 01-6)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Bromochloromethane (CAS No.: 74-97-5)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Sulfur Hexafluoride (SF6) (CAS No.: 2551-62-4)	mg/kg	With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n.d.	-
Red phosphorus	**	Analysis was performed by Pyrolyzer-GC/MS.	-	Negative	-
Caesium (Cs) (Radioactive element) (CAS No.: 7440-46-2)	mg/kg	With reference to US EPA 3052 (1996) & 6020B (2014). Analysis was performed by ICP-MS.	1	n.d.	-
Strontium (Sr) (Radioactive element) (CAS No.: 7440-24-6)	mg/kg	With reference to US EPA 3052 (1996) & 6020B (2014). Analysis was performed by ICP-MS.	1	n.d.	-



Date : 2020/01/07

Page : 18 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Test Item(s)	Unit	Method	MDL	Result	Limit
				No.1	Luun
Thorium (Th) (Radioactive element) (CAS No.: 7440-29-1)		With reference to US EPA 3052 (1996) & 6020B (2014). Analysis was performed by ICP-MS.	1	n.d.	-
Uranium (U) (Radioactive element) (CAS No.: 7440-61-1)	00	With reference to US EPA 3052 (1996) & 6020B (2014). Analysis was performed by ICP-MS.	1	n.d.	-

Note :

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected = less than MDL
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 8. (\blacktriangle) : The MDL was evaluated for element / tested substance.
- 9. Parameter Conversion Table : http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp
- 10. (%2): The extracted soluble Boron is detected by ICP-OES.
- 11. (%5): Regarding the compound containing Cr(VI) and lead, lead and Cr(VI) are tested and respectively used for the calculation of the independent concentration of the compound containing Cr(VI) and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.
- 12. (*2): Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 00000032519).

PFOS Reference Information : POPs - (EU) 2019/1021

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².



Date : 2020/01/07


Page : 19 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)






Date : 2020/01/07

Page : 20 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - PBB / PBDE






Date : 2020/01/07

Page : 21 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - PCBs






Date : 2020/01/07

Page : 22 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - PCTs

- Technician: Yaling Tu
- Supervisor: Troy Chang






Date : 2020/01/07

Page : 23 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - PCNs






Date : 2020/01/07

Page : 24 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - Chlorinated Paraffins

- Technician: Yaling Tu
- Supervisor: Troy Chang





Date : 2020/01/07

Page : 25 of 41


TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analysis flow chart for determination of Asbestos

- Technician: David Lee
- Supervisor: Rachel Yang

[Reference method: EPA 600/R-93/116]





Date : 2020/01/07

Page : 26 of 41

TOWERJAZZ SEMICONDUCTOR


Plastic Others

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

These samples were dissolved totally by pre-conditioning method according to below flow chart.

- Technician: Rita Chen
- Supervisor: Troy Chang

Flow Chart of digestion for the elements analysis performed by ICP-OES



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document, attrantion of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

H₂SO₄, H₂O₂, HNO₃, HCI

Added appropriate reagent to total digestion




Date : 2020/01/07

Page : 27 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - Formaldehyde

- Technician: Yaling Tu
- Supervisor: Troy Chang






Date : 2020/01/07

Page : 28 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - HBCDD

- Technician: Yaling Tu
- Supervisor: Troy Chang






Date : 2020/01/07

Page : 29 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - PFOA/PFOS

- Technician: Yaling Tu
- Supervisor: Troy Chang





Date : 2020/01/07


Page : 30 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - Phthalate

- Technician: Yaling Tu
- Supervisor: Troy Chang

[Test method: IEC 62321-8]





Date : 2020/01/07


Page : 31 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - Organic-Tin



Supervisor: Troy Chang





Date : 2020/01/07


Page : 32 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - volatile organic compounds (VOCs)

- Technician : Chun Wu
- Supervisor : Shinjyh Chen

[Reference method : US EPA 5021, 5021A]






Date : 2020/01/07

Page : 33 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - Dimethyl Fumarate






Date : 2020/01/07

Page : 34 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - Cobalt dichloride

- Technician: Rita Chen
- Supervisor: Troy Chang






Date : 2020/01/07

Page : 35 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - TBBP-A

- Technician: Yaling Tu
- Supervisor: Troy Chang





Date : 2020/01/07

Page : 36 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - TBBP-A-bis

Technician: Yaling Tu Supervisor: Troy Chang First testing process Optional screen process Confirmation process ----Sample Ŧ Sample pretreatment + Screen analysis Sample extraction / Soxhlet method Ļ Concentrate/Dilute Extracted solution Ť Filter Ť Analysis by GC/MS 1 Issue Report



Date : 2020/01/07


Page : 37 of 41

TOWERJAZZ SEMICONDUCTOR

RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - DBBT

- Technician: Yaling Tu
- Supervisor: Troy Chang






Date : 2020/01/07

Page : 38 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analysis flow chart - PVC

- Technician: Yaling Tu
- Supervisor: Troy Chang






Date : 2020/01/07

Page : 39 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - Halogen

- Technician: Rita Chen
- Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document, attrantion of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




Date : 2020/01/07

Page : 40 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

Analytical flow chart - Red phosphorus

- Technician: Yaling Tu
- Supervisor: Troy Chang






Date : 2020/01/07


Page : 41 of 41

TOWERJAZZ SEMICONDUCTOR RAMAT GAVRIEL INDUSTRIAL AREA MIGDAL HAEMEK ISRAEL 23105

* The tested sample / part is marked by an arrow if it's shown on the photo. *



CE/2019/C4967



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/terms-